The following individual has completed the Seminole County EMS Provisional EMT Skills Verification check in the following areas:

Oxygen, Airway and Ventilation Skills
ALS Assistance
Trauma Management
Medical / Cardiac Arrest Management

DATE:		
NAME OF EMT:	 	
AGENCY:	 	

PARAMEDIC FIELD TRAINING MENTOR:_____

OBJECTIVES

- Given a human patient simulator and necessary equipment, the Provisional Emergency Medical Technician (EMT) shall be able to demonstrate the following procedures with 100% accuracy:
 - a. Oxygen set up and delivery
 - b. Oxygen administration via nasal cannula
 - c. Oxygen administration via non-rebreather mask
 - d. Oxygen administration via bag-valve-mask
 - e. Application of oropharyngeal airway
 - f. Suctioning of a patient
 - g. BLS management of ALS patients
- 2. The Provisional EMT shall demonstrate using the appropriate simulator and equipment, the procedures to initiate advanced life support assistance with 100% accuracy:
 - a. Intravenous equipment set up
 - b. Cardiac monitor with anticipation of defibrillation
 - c. Cardiac monitor three lead monitoring
 - d. Cardiac monitor 12 lead monitoring
 - e. Blood glucose testing
- 3. Given a human patient simulator and necessary equipment, the Provisional EMT shall demonstrate the following clinical skills for trauma management with 100% accuracy:
 - a. Bleeding control and shock management
 - b. Immobilization of a joint injury
 - c. Immobilization of a long bone injury
 - d. Spinal immobilization of a seated patient
 - e. Spinal immobilization of a supine patient
 - f. Trauma patient assessment and management
- 4. Given a scenario using a human patient simulator and necessary equipment, the Provisional EMT shall demonstrate the initiation of a patient assessment and patient medical management including cardio pulmonary resuscitation.

	OXYGEN CLYINDER	PASS	FAIL
1.	Properly assembles the regulator to the tank – checks gasket is in place		
2.	Opens the tank fully		
3.	Checks tank pressure and inspects for leaks		
	NASAL CANULA	PASS	FAIL
1.	Attaches nasal cannula to oxygen		
2.	Adjust liter flow to stated liters per minute (between 1 and 6 LPM)		
3.	Properly applies nasal cannula to patient		
	NON-REBREATHER MASK	PASS	FAIL
1.	Attaches the non-rebreather mask to oxygen regulator	11100	
2.	Pre-fills reservoir		
3.	Adjust liter flow to 10-15 liters per minute as directed		
4.	Properly applies mask to patient		
	BAG-VALVE-MASK	PASS	FAIL
1.	Selects appropriate size mask	1 733	IAIL
2.	Creates a proper mask-to-face seal using C-E clamp hand placement		
3.	Ventilates at no less than 800 ml volume		
4.	Connects reservoir and oxygen		
5.	Adjust liter flow to a minimum of 15 liters per minute		
6.	Adequately ventilates with proper volume per ventilation		
7.	Explains the percentage of oxygen delivered for each: NC, NRBM, BVM		
	OROPHARYNGEAL AIRWAY	PASS	FAIL
1.	Selects appropriately sized airway	17100	
2.	Sizes the airway device properly		
3.	Inserts airway without pushing the tongue posteriorly		
4.	Explains when it is appropriate to remove oropharyngeal airway		
Comme	nts:		
	·····		
		_	
Face!		PASS (Girala a	FAIL
Evaluat	tor	(Circle o	ne)

SUCTION	PASS	FAIL
 Turns on / prepares suction device 		
2. Assures presence of mechanical suction		
3. Inserts the suction tip without suction		
4. Applies suction to the oropharynx /nasopharynx		
BLS MANAGEMENT OF ALS PATIENTS	PASS	FAIL
1. Assures the endotracheal tube is secured		
2. Ventilates patient adequately using BV device / high flow oxygen		

 Evaluat	 or	PASS (Circle o	FAIL ne)
Comme	nts:		
	without compromising ETT position		
4.	8 8 8		
3.	Places c-collar on patient and secures head to LBB with CID		
2.	Ventilates patient adequately using BV device / high flow oxygen		
1.	Assures the endotracheal tube is secured		
	BLS MANAGEMENT OF ALS PATIENTS	PASS	FAIL
4.	Applies suction to the oropharylix /hasopharylix		
J.	Applies suction to the oropharynx /nasopharynx		+

	INTRAVENOUS EQUIPMENT SET UP	PASS	FA
1.	Checks IV solution, expiration date and integrity of the IV bag		
2.	Confirms the appropriate solution is used as requested by paramedic		
3.	Selects appropriate tubing as requested by paramedic (macro/mini)		
4.	Inspects tubing		
5.	Removes the seal from the IV solution port		
6.	Removes cover from drip chamber maintaining a sterile field		
7.	Inserts drip chamber into solution container so that it fits snugly		
8.	Fills chamber ¾ full & flows the solution through removing all air from the line		
9.	Hangs solution in secure location ready for use keeping the line connection sterile		
	CARDIAC MONITOR WITH ANTICIPATION OF DEFIBRILLATION	PASS	FΑ
1.	Exposes the patient's chest		
2.	Applies paddle/pad to upper sternum slightly toward right shoulder		
3.	Applies paddle/pad to the anterior (mid-axillary) below the nipple line		
		DACC	A
	CARDIAC MONITOR THREE LEAD METHOD	PASS	FΑ
1.	Removes clothing from area electrodes will be placed		
2.	Applies wires to electrodes		
3.	Demonstrates proper placement for Lead II monitoring		
	CARDIAC MONITOR 3 LEAD METHOD	PASS	FΑ
1.	Demonstrates proper placement for Lead I, II and III monitoring		
	CARDIAC MONITOR 12 LEAD	PASS	FA
1.	Attaches the precordial lead adapter to the main cable		
2.	Properly applies limb and precordial leads on patient		
	BLOOD GLUCOSE TEST	PASS	FA
1.	Selects appropriate equipment	r A33	17
2.	Prepares lancing device for finger stick		
3.	Places test strip on the receptacle in the meter and allows time for the self-		
٥.	test		
4.	Punctures patient's fingertip with lancet device and obtains small drop of blood on test strip		
5.	Explains the "Lo" and "High" results displayed on the window		
6.	Disposes of used test strip and lancet in sharps container		
nme	nts:		

	BLEEDING CONTROL / SHOCK MANAGEMENT	PASS	FAIL
1.	Applies direct pressure to the wound		
2.	Elevates the injured extremity		
3.	Applies dressing to control bleeding; repeat if bleeding does not stop		
4.	Locates and applies pressure to appropriate arterial pressure points if needed		
5.	Properly bandages the wound		
6.	Performs shock management: properly positions patient, applies high flow		
	O2, prevents heat loss, indicates need for treatment		

IMMOBILIZATION OF JOINT INJURY	PASS	FAIL
Applies or directs personnel to perform joint stabilization		
2. Assess motor, sensory, and circulation function in the injured extremity		
3. Selects proper splinting device		
4. Immobilizes site of the injury		
5. Immobilizes long bone above and below the injured site		
6. Reassesses motor, sensory, & circulatory function in injured extremity		·

TRACTION SPLINT APPLICATION	PASS	FAIL
1. Explains indications for skill		
2. Applies manual stabilization of the injured extremity		
3. Assess motor, sensory, and circulation function in the injured extremity		
4. Prepares/adjusts splint to the proper length		
5. Positions the splint onto the injured leg		
6. Applies the distal securing device		
7. Applies the proximal securing device		
8. Applies mechanical traction		
9. Positions/secures the support straps		
10. Re-evaluates the proximal/distal securing devices		
11. Reassesses motor, sensory, and circulatory function in the injured extremity		

SPINAL IMMOBILIZATION SEATED PATIENT	PASS	FAIL
Explains criteria for selective spinal immobilization		
2. Assesses for spine pain and/or tenderness		
3. Performs motor/sensory exam		
4. Ensures head is maintained in the neutral position		
5. Ensures manual immobilization of head is maintained		
6. Applies appropriate sized cervical collar		
7. Positions the immobilization device appropriately		
8. Applies padding to voids between the torso and board		
9. Properly secures patient onto the device		
10. Properly moves patient to long board		
11. Reassesses motor, sensory, and circulatory functions in each extremity		

	SPINAL IMMOBILIZATION OF SUPINE PATIENT	PASS	FAIL
1.	Assesses for spine pain and/or tenderness		
2.	Performs motor/sensory exam		
3.	Ensures head is maintained in the neutral position		
4.	Ensures manual immobilization of head is maintained		
5.	Applies appropriate sized cervical collar		
6.	Positions the immobilization device appropriately		
7.	Directs movement of patient onto the devise without compromising the		
	integrity of the spine		
8.	Applies padding to voids between torso/board if necessary		
9.	Immobilizes the patient's torso to the device		
10.	Immobilizes the patient's head to the device		
11.	Secures the patient's legs to the device		
12.	Secures the patient's arms to the device		
13.	Reassesses motor, sensory, and circulatory function in each extremity		
	PATIENT ASSESSMENT/MANAGEMENT – TRAUMA	PASS	FAIL
1.	Performs initial size up functions	FASS	IAIL
2.	Performs initial assessment (ABCs, general impression, LOC)		
3.	Identifies priority patients/makes transport decision		
4.	Selects appropriate assessment (focused or rapid)		
5.	Obtains or directs assistance with obtaining baseline vitals		
6.	Obtains S.A.M.P.L.E. history		
	Assesses the head		
	Assesses the neck		
	Assesses the chest		
	Assesses the abdomen/pelvis		
	Assesses the extremities		
	Assesses the posterior		
	Manages secondary injuries and wounds appropriately		
14.	Reassesses vital signs		
		1	
Comme	nts:		
		PASS	FAIL
Evaluate	 or	(Circle o	

	PATIENT ASSESSMENT/MANAGEMENT – MEDICAL	PASS	FAIL
1.	Performs initial scene size up		
2.	Determines general impression of the patient		
3.	Performs initial assessment of the patient (ABCs, LOC)		
4.	Identifies priority patients/makes transport decisions		
5.	Obtains S.A.M.P.L.E. history		
6.	Obtains or directs assistance with obtaining baseline vitals		
7.	Performs focused physical examinations		
8.	Provides interventions (obtains medical direction or standing orders)		
9.	Transport (re-revaluates the transport decision)		
10.	Repeats initial assessment		
11.	Repeats vital sign assessment		
12.	Repeats focused assessment regarding patient complaint/injury		
	CARRIAG ARREST MANAGEMENT	DACC	ГАЦ
1	CARDIAC ARREST MANAGEMENT	PASS	FAIL
1.	Performs initial scene size up		
2.	Verifies airway, breathing circulation		
3.	Directs resumption of CPR or begins CPR		
4.	Turns on defibrillator		
5.	Attaches automated defibrillator to patient		
6.	Initiates analysis of patient's rhythm		
7.			-
8.	1 1 1 7		-
9.	, , , , , , , , , , , , , , , , , , , ,		-
	Uses simple airway device		-
	Assures high concentration oxygen is delivered to patient		-
12.	Ensures transportation of patient		
Comments:			
Comments:			
		PASS	FAIL

Evaluator

(Circle one)